



# **PB PENETRATING CATALYST (AEROSOL)**

Oct 21 2014 12:55 AM

## **Safety Data Sheet**

### **Supply Co. - PB PENETRATING CATALYST (AEROSOL)**

Document Nbr: 063199

Class C Parts IDs 16GDLTWINPK,21431,C37043,CD21431

"BLASTER"(R\*)

CONFORMS TO OSHA HAZCOM 2012 & NOM-018-STPS-2000 STANDARDS

SAFETY DATA SHEET

#### -----SECTION 1: IDENTIFICATION -----

##### 1.1 PRODUCT IDENTIFIER:

PRODUCT NAME: PB PENETRATING CATALYST (AEROSOL)

PRODUCT CODE: 16-PB, 8-PB, 8-PBS, PBTS, 20-PB

##### 1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE:

USE: LUBRICANT

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

NAME/ADDRESS:

THE BLASTER CORPORATION

8500 SWEET VALLEY DRIVE

VALLEY VIEW, OHIO 44125

USA

TELEPHONE NUMBER:

T: (216) 901-5800

F: (216) 901-5801

1.4 EMERGENCY TELEPHONE NUMBER:

EMERGENCY TELEPHONE NUMBER:

CHEMTREC: (800) 424-9300

DATE OF PREPARATION: MAY 26, 2014

VERSION #: 1.0

-----SECTION 2: HAZARD(S) IDENTIFICATION -----

## 2.1 CLASSIFICATION OF THE CHEMICAL ACCORDING TO OSHA HAZCOM 2012:

HAZARD CLASS:

FLAMMABLE AEROSOL 2

GASES UNDER PRESSURE (DISSOLVED GAS)

SERIOUS EYE IRRITATION 2A

CARCINOGENICITY 2

ASPIRATION HAZARD 1

## 2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM 2012:

HAZARD PICTOGRAM:

FLAME

GAS CYLINDER

EXCLAMATION MARK

HEALTH HAZARD

SIGNAL WORD: DANGER

HAZARD STATEMENT:

FLAMMABLE AEROSOL. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

CAUSES SERIOUS EYE IRRITATION. SUSPECTED OF CAUSING CANCER. MAY BE FATAL

IF SWALLOWED AND ENTERS AIRWAYS.

PREVENTION:

KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING.

DO NOT SPRAY ON AN OPEN FLAME OR OTHER IGNITION SOURCE.

PRESSURIZED CONTAINER:

DO NOT PIERCE OR BURN, EVEN AFTER USE. WASH HANDS THOROUGHLY AFTER HANDLING.

OBTAIN SPECIAL INSTRUCTIONS BEFORE USE. DO NOT HANDLE UNTIL ALL SAFETY

PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. WEAR PROTECTIVE GLOVES/PROTECTIVE

CLOTHING/EYE PROTECTION/FACE PROTECTION.

RESPONSE:

IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ATTENTION.

IF IN EYES:

RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF

PRESENT AND EASY TO DO. CONTINUE RINSING.

IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.

IF SWALLOWED:

IMMEDIATELY CALL A POISON CENTER OR DOCTOR. DO NOT INDUCE VOMITING.

STORAGE:

PROTECT FROM SUNLIGHT. DO NOT EXPOSE TO TEMPERATURES EXCEEDING

50 DEG. C/122 DEG. F. STORE IN A WELL-VENTILATED PLACE. STORE LOCKED UP.

DISPOSAL:

DISPOSE OF CONTENTS AND CONTAINER IN ACCORDANCE WITH ALL LOCAL, REGIONAL,

NATIONAL AND INTERNATIONAL REGULATIONS.

2.3 ADDITIONAL INFORMATION:

HAZARDS NOT OTHERWISE CLASSIFIED: NOT APPLICABLE.

8% OF THE MIXTURE CONSISTS OF INGREDIENT(S) OF UNKNOWN ACUTE TOXICITY.

THIS PRODUCT IS A HAZARDOUS CHEMICAL AS DEFINED BY NOM-018-STPS-2000.

MEXICO CLASSIFICATION:

2

4

0

BLUE = HEALTH

RED = FLAMMABILITY

YELLOW = REACTIVITY

WHITE = SPECIAL

HAZARD RATING:

0 = MINIMAL

1 = SLIGHT

2 = MODERATE

3 = SEVERE

4 = EXTREME

-----SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS -----

3.1 MIXTURES:

INGREDIENT	UN #	H / F / R / *	CAS NO	WT. %
DISTILLATES (PETROLEUM),	NOT	NOT AVAILABLE	64742-47-8	50 - 60
HYDROTREATED LIGHT	AVAILABLE			
SOLVENT NAPHTHA	UN1270	NOT AVAILABLE	64742-94-5	20 - 30

(PETROLEUM), HEAVY

AROMATIC

DISTILLATES (PETROLEUM), NOT NOT AVAILABLE 64742-52-5 20 - 30

HYDROTREATED HEAVY AVAILABLE

NAPHTHENIC

CARBON DIOXIDE UN1013 1/0/0 124-38-9 1 - 5

NAPHTHALENE UN1334/ 2/2/0 91-20-3 2 - 3

UN2304

DINONYLPHENOL, NOT NOT AVAILABLE 39464-64-7 0.5 - 1.5

ETHOXYLATED, PHOSPHATED AVAILABLE

THE EXACT PERCENTAGE (CONCENTRATION) OF COMPOSITION HAS BEEN WITHHELD AS

A TRADE SECRET IN ACCORDANCE WITH PARAGRAPH (I) OF SUBSECTION 1910.1200.

\* PER NOM-018-STPS-2000

-----SECTION 4: FIRST - AID MEASURES -----

#### 4.1 DESCRIPTION OF THE FIRST AID MEASURE:

##### EYE:

IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. IF EASY TO DO, REMOVE CONTACT LENSES, IF WORN. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION.

##### SKIN:

IN CASE OF CONTACT, IMMEDIATELY FLUSH SKIN WITH PLENTY OF WATER. REMOVE CONTAMINATED CLOTHING AND SHOES. WASH CLOTHING BEFORE REUSE. CALL A PHYSICIAN IF IRRITATION DEVELOPS AND PERSISTS.

##### INHALATION:

IF BREATHING IS DIFFICULT, REMOVE TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. GET MEDICAL ADVICE/ATTENTION IF YOU FEEL UNWELL.

##### INGESTION:

IF SWALLOWED, DO NOT INDUCE VOMITING UNLESS DIRECTED TO DO SO BY MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GET IMMEDIATE MEDICAL ADVICE/ATTENTION.

#### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:



EYE:

CAUSES SERIOUS EYE IRRITATION. SYMPTOMS MAY INCLUDE DISCOMFORT OR PAIN, EXCESS BLINKING AND TEAR PRODUCTION, WITH MARKED REDNESS AND SWELLING OF THE CONJUNCTIVA.

SKIN:

MAY CAUSE SKIN IRRITATION. SYMPTOMS MAY INCLUDE REDNESS, DRYING, DEFATTING AND CRACKING OF THE SKIN.

INHALATION:

MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. THIS PRODUCT MAY BE ASPIRATED INTO THE LUNGS AND CAUSE CHEMICAL PNEUMONITIS. MAY CAUSE STOMACH DISTRESS, NAUSEA OR VOMITING.

INGESTION: MAY CAUSE RESPIRATORY TRACT IRRITATION.

#### 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS

NEEDED:

NOTE TO PHYSICIANS: SYMPTOMS MAY NOT APPEAR IMMEDIATELY.

SPECIFIC TREATMENTS:

IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE IMMEDIATELY  
(SHOW THE LABEL OR SDS WHERE POSSIBLE).

-----SECTION 5: FIRE-FIGHTING MEASURES -----

5.1 EXTINGUISHING MEDIA:

SUITABLE EXTINGUISHING MEDIA: DRY CHEMICAL, CARBON DIOXIDE OR FOAM.

UNSUITABLE EXTINGUISHING MEDIA:

WATER MAY BE INEFFECTIVE FOR EXTINGUISHING FIRE.

5.2 SPECIAL HAZARDS ARISING FROM THE CHEMICAL:

PRODUCTS OF COMBUSTION:

MAY INCLUDE, AND ARE NOT LIMITED TO: OXIDES OF CARBON, HYDROCARBONS.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS:

KEEP UPWIND OF FIRE. WEAR FULL FIRE FIGHTING TURN-OUT GEAR (FULL BUNKER GEAR) AND RESPIRATORY PROTECTION (SCBA). COOL CLOSED CONTAINERS EXPOSED TO FIRE WITH WATER. DO NOT USE A SOLID WATER STREAM AS IT MAY SCATTER AND SPREAD FIRE. CONTAINERS MAY EXPLODE WHEN HEATED.

-----SECTION 6: ACCIDENTAL RELEASE MEASURES -----

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

USE PERSONAL PROTECTION RECOMMENDED IN SECTION 8. ISOLATE THE HAZARD AREA AND DENY ENTRY TO UNNECESSARY AND UNPROTECTED PERSONNEL. ELIMINATE SOURCES OF IGNITION.

6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP:

METHODS FOR CONTAINMENT:

CONTAIN AND/OR ABSORB SPILL WITH INERT MATERIAL (E.G. SAND, VERMICULITE), THEN PLACE IN A SUITABLE CONTAINER. DO NOT FLUSH TO SEWER OR ALLOW TO ENTER WATERWAYS. USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT (PPE).

METHODS FOR CLEANING-UP:

SCOOP UP MATERIAL AND PLACE IN A DISPOSAL CONTAINER. VAPORS MAY BE HEAVIER THAN AIR AND MAY TRAVEL ALONG THE GROUND TO A DISTANT IGNITION SOURCE AND FLASH BACK. PROVIDE VENTILATION.

-----SECTION 7: HANDLING AND STORAGE -----

## 7.1 PRECAUTIONS FOR SAFE HANDLING:

### HANDLING:

KEEP AWAY FROM SOURCES OF IGNITION. - NO SMOKING. AVOID CONTACT WITH SKIN AND EYES. AVOID BREATHING DUST/FUME/GAS/MIST/VAPOURS/SPRAY. DO NOT SWALLOW. WHEN USING DO NOT EAT, DRINK OR SMOKE. DO NOT SPRAY ON AN OPEN FLAME OR OTHER IGNITION SOURCE. USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.

### PRESSURIZED CONTAINER:

DO NOT PIERCE OR BURN, EVEN AFTER USE. (SEE SECTION 8)

### GENERAL HYGIENE ADVICE:

LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. WASH HANDS BEFORE EATING, DRINKING, OR SMOKING.

## 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

### STORAGE:

KEEP LOCKED UP AND OUT OF REACH OF CHILDREN. DO NOT EXPOSE TO TEMPERATURES EXCEEDING 50 DEG. C / 122 DEG. F. STORE IN DRY, COOL, WELL-VENTILATED AREA. (SEE SECTION 10)

-----SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION -----

8.1 CONTROL PARAMETERS:

EXPOSURE GUIDELINES:

OCCUPATIONAL EXPOSURE LIMITS:

INGREDIENT	OSHA-PEL	ACGIH-TLV
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT	100 PPM	200 MG/M3
SOLVENT NAPHTHA (PETROLEUM), HEAVY AROMATIC	NOT AVAILABLE.	NOT AVAILABLE.
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC	5 MG/M3 (MIST)	5 MG/M3 (MIST)
CARBON DIOXIDE	5000 PPM 9000 MG/M3	5000 PPM

NAPHTHALENE	10 PPM	10 PPM
	50 MG/M3	
DINONYLPHENOL, ETHOXYLATED, PHOSPHATED	NOT AVAILABLE.	NOT AVAILABLE.

## 8.2 EXPOSURE CONTROLS:

### ENGINEERING CONTROLS:

USE VENTILATION ADEQUATE TO KEEP EXPOSURES (AIRBORNE LEVELS OF DUST, FUME, VAPOR, ETC.) BELOW RECOMMENDED EXPOSURE LIMITS.

## 8.3 INDIVIDUAL PROTECTIVE MEASURES:

### PERSONAL PROTECTIVE EQUIPMENT:

EYE/FACE PROTECTION: SAFETY GLASSES WITH SIDE-SHIELDS.

### SKIN PROTECTION:

HAND PROTECTION: WEAR CHEMICALLY RESISTANT PROTECTIVE GLOVES.

BODY PROTECTION: WEAR SUITABLE PROTECTIVE CLOTHING.

### RESPIRATORY PROTECTION:

A NIOSH APPROVED RESPIRATOR IS RECOMMENDED IN POORLY VENTILATED AREAS OR

WHEN PERMISSIBLE EXPOSURE LIMITS MAY BE EXCEEDED. RESPIRATOR SELECTION MUST BE BASED ON KNOWN OR ANTICIPATED EXPOSURE LEVELS, THE HAZARDS OF THE PRODUCT AND THE SAFE WORKING LIMITS OF THE SELECTED RESPIRATOR.

GENERAL HEALTH AND SAFETY MEASURES:

DO NOT EAT, SMOKE OR DRINK WHERE MATERIAL IS HANDLED, PROCESSED OR STORED.

WASH HANDS CAREFULLY BEFORE EATING OR SMOKING. HANDLE ACCORDING TO

ESTABLISHED INDUSTRIAL HYGIENE AND SAFETY PRACTICES. ENSURE THAT EYEWASH

STATIONS AND SAFETY SHOWERS ARE CLOSE TO THE WORKSTATION LOCATION.

-----SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES -----

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE: VISCOUS / OILY.

COLOR: ORANGE.

ODOR: HEAVY AROMATIC.

ODOR THRESHOLD: NOT AVAILABLE.

PHYSICAL STATE: GAS/PRESSURIZED LIQUID.

PH: NOT AVAILABLE.

MELTING POINT/FREEZING POINT: NOT AVAILABLE.

INITIAL BOILING POINT AND BOILING RANGE: 177.8 DEG. C (352 DEG. F)

FLASH POINT: 65.6 DEG. C (150 DEG. F)

EVAPORATION RATE: <1 (N-BUTYL ACETATE = 1)

FLAMMABILITY: FLAMMABLE.

LOWER FLAMMABILITY/EXPLOSIVE LIMIT: NOT AVAILABLE.

UPPER FLAMMABILITY/EXPLOSIVE LIMIT: NOT AVAILABLE.

VAPOR PRESSURE: NOT AVAILABLE.

VAPOR DENSITY: >1 (AIR = 1)

RELATIVE DENSITY/SPECIFIC GRAVITY: 0.91 (WATER = 1)



SOLUBILITY: NEGLIGIBLE.

PARTITION COEFFICIENT N-OCTANOL/WATER: NOT AVAILABLE.

AUTO-IGNITION TEMPERATURE: NOT AVAILABLE.

DECOMPOSITION TEMPERATURE: NOT AVAILABLE.

VISCOSITY: NOT AVAILABLE.

OXIDIZING PROPERTIES: NOT AVAILABLE.

EXPLOSIVE PROPERTIES: NOT AVAILABLE.

VOC CONTENT: <25%

FLAME PROJECTION: 0 CM

HEAT OF COMBUSTION: 45.8 KJ/G

-----SECTION 10: STABILITY AND REACTIVITY -----

10.1 REACTIVITY: NO DANGEROUS REACTION KNOWN UNDER CONDITIONS OF NORMAL USE.

10.2 CHEMICAL STABILITY:

STABLE UNDER NORMAL STORAGE CONDITIONS. FLAMMABLE AEROSOL. CONTENTS UNDER PRESSURE. CONTAINER MAY EXPLODE IF HEATED. DO NOT PUNCTURE. DO NOT BURN.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS:

NO DANGEROUS REACTION KNOWN UNDER CONDITIONS OF NORMAL USE.

10.4 CONDITIONS TO AVOID:

HEAT. INCOMPATIBLE MATERIALS. SOURCES OF IGNITION. EXCESSIVE WATER.

10.5 INCOMPATIBLE MATERIALS:

STRONG OXIDIZING AGENTS. STRONG REDUCING AGENTS. MOISTURE.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS:

MAY INCLUDE, AND ARE NOT LIMITED TO: OXIDES OF CARBON, HYDROCARBONS.

-----SECTION 11: TOXICOLOGICAL INFORMATION -----

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

LIKELY ROUTES OF EXPOSURE:

SKIN CONTACT, EYE CONTACT, INHALATION, AND INGESTION.

SYMPTOMS RELATED TO PHYSICAL/CHEMICAL/TOXICOLOGICAL CHARACTERISTICS:

EYE:

CAUSES SERIOUS EYE IRRITATION. SYMPTOMS MAY INCLUDE DISCOMFORT OR PAIN, EXCESS BLINKING AND TEAR PRODUCTION, WITH MARKED REDNESS AND SWELLING OF THE CONJUNCTIVA.

SKIN:

MAY CAUSE SKIN IRRITATION. SYMPTOMS MAY INCLUDE REDNESS, DRYING, DEFATTING AND CRACKING OF THE SKIN.

INGESTION:

MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. THIS PRODUCT MAY BE ASPIRATED INTO THE LUNGS AND CAUSE CHEMICAL PNEUMONITIS. MAY CAUSE STOMACH DISTRESS, NAUSEA OR VOMITING.

INHALATION: MAY CAUSE RESPIRATORY TRACT IRRITATION.

ACUTE TOXICITY:

INGREDIENT	IDLH	LC50	LD50
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT	NOT AVAILABLE.	INHALATION: >5.2 MG/L 4H RAT	ORAL : >5000 MG/KG, RAT  DERMAL : >2000 MG/KG, RABBIT
SOLVENT NAPHTHA (PETROLEUM), HEAVY AROMATIC	NOT AVAILABLE.	INHALATION: >5.28 MG/L 4H, RAT	ORAL : >5000 MG/KG, RAT  DERMAL : >2000 MG/KG, RABBIT
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC	NOT AVAILABLE.	INHALATION: >5.0 MG/L 4H, RAT	ORAL : >5000 MG/KG, RAT  DERMAL :

>5000 MG/KG,

RABBIT

CARBON DIOXIDE                      40000 PPM      NOT AVAILABLE.      NOT AVAILABLE.

NAPHTHALENE                      250 PPM      NOT AVAILABLE.      ORAL :  
490 MG/KG, RAT

DERMAL :

>2500 MG/KG,

RAT

DERMAL :

>20 G/KG,

RABBIT

DINONYLPHENOL, ETHOXYLATED,      NOT              NOT AVAILABLE.      NOT AVAILABLE.

PHOSPHATED                      AVAILABLE.

CALCULATED OVERALL CHEMICAL ACUTE TOXICITY VALUES:

LC50 (INHALATION)

LD50 (ORAL)

LD50 (DERMAL)

>5 MG/L 4H, RAT

>2000 MG/KG, RAT

>2000 MG/KG, RABBIT

INGREDIENT

CHEMICAL LISTED AS CARCINOGEN

OR POTENTIAL CARCINOGEN

(NTP, IARC, OSHA, ACGIH, CP65)\*

DISTILLATES (PETROLEUM), HYDROTREATED

NOT LISTED.

LIGHT

SOLVENT NAPHTHA (PETROLEUM), HEAVY

NOT LISTED.

AROMATIC

DISTILLATES (PETROLEUM), HYDROTREATED

NOT LISTED.

HEAVY NAPHTHENIC

CARBON DIOXIDE

NOT LISTED.

NAPHTHALENE

G-A4, I-2B, N-2, CP65

DINONYLPHENOL, ETHOXYLATED, PHOSPHATED

NOT LISTED.

\* SEE SECTION 15 FOR MORE INFORMATION.

11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE:

SKIN CORROSION/IRRITATION:

BASED ON AVAILABLE DATA, THE CLASSIFICATION CRITERIA ARE NOT MET.

SERIOUS EYE DAMAGE/IRRITATION: CAUSES SERIOUS EYE IRRITATION.

RESPIRATORY SENSITIZATION:

BASED ON AVAILABLE DATA, THE CLASSIFICATION CRITERIA ARE NOT MET.

SKIN SENSITIZATION:

BASED ON AVAILABLE DATA, THE CLASSIFICATION CRITERIA ARE NOT MET.

STOT-SINGLE EXPOSURE:

BASED ON AVAILABLE DATA, THE CLASSIFICATION CRITERIA ARE NOT MET.

CHRONIC HEALTH EFFECTS:

CARCINOGENICITY: POSSIBLE CARCINOGEN.

GERM CELL MUTAGENICITY:

BASED ON AVAILABLE DATA, THE CLASSIFICATION CRITERIA ARE NOT MET.

REPRODUCTIVE TOXICITY:

DEVELOPMENTAL:

BASED ON AVAILABLE DATA, THE CLASSIFICATION CRITERIA ARE NOT MET.

FERTILITY: BASED ON AVAILABLE DATA, THE CLASSIFICATION CRITERIA ARE NOT MET.

STOT-REPEATED EXPOSURE:

BASED ON AVAILABLE DATA, THE CLASSIFICATION CRITERIA ARE NOT MET.

ASPIRATION HAZARD: MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.

OTHER INFORMATION: NOT AVAILABLE.

-----SECTION 12: ECOLOGICAL INFORMATION -----

12.1 ECOTOXICITY:

ACUTE/CHRONIC TOXICITY:

MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.

12.2 PERSISTENCE AND DEGRADABILITY: NOT AVAILABLE.



12.3 BIOACCUMULATIVE POTENTIAL:

BIOACCUMULATION: NOT AVAILABLE.

12.4 MOBILITY IN SOIL: NOT AVAILABLE.

12.5 OTHER ADVERSE EFFECTS: NOT AVAILABLE.

-----SECTION 13: DISPOSAL CONSIDERATIONS -----

13.1 WASTE TREATMENT METHODS:

DISPOSAL METHOD:

THIS MATERIAL MUST BE DISPOSED OF IN ACCORDANCE WITH ALL LOCAL, STATE, PROVINCIAL, AND FEDERAL REGULATIONS. THE GENERATION OF WASTE SHOULD BE AVOIDED OR MINIMIZED WHEREVER POSSIBLE.

OTHER DISPOSAL RECOMMENDATIONS:

FLAMMABLE VAPOURS MAY ACCUMULATE IN THE CONTAINER.

DO NOT INCINERATE EMPTY CONTAINERS.

-----SECTION 14: TRANSPORT INFORMATION -----

14.1 UN NUMBER:

DOT NOM-004-SCT2-1994

UN1950 UN1950

14.2 UN PROPER SHIPPING NAME:

DOT NOM-004-SCT2-1994

AEROSOLS, FLAMMABLE, LIMITED QUANTITIES  
AEROSOLS, FLAMMABLE, LIMITED QUANTITIES

14.3 TRANSPORT HAZARD CLASS (ES):

DOT NOM-004-SCT2-1994

2.1 2.1

14.4 PACKING GROUP:

DOT

NOM-004-SCT2-1994

NOT APPLICABLE.

NOT APPLICABLE.

14.5 ENVIRONMENTAL HAZARDS: NOT AVAILABLE.

14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE:

NOT AVAILABLE.

14.7 SPECIAL PRECAUTIONS FOR USER:

DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.

THE BLASTER CORPORATION DOES NOT RECOMMEND SHIPPING THEIR AEROSOL PRODUCTS  
BY AIR.

-----SECTION 15: REGULATORY INFORMATION -----

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATIONS SPECIFIC FOR  
THE CHEMICAL:

US:

SDS PREPARED PURSUANT TO THE HAZARD COMMUNICATION STANDARD (CFR 29 1910.1200)

HAZCOM 2012

MEXICO: SDS PREPARED PURSUANT TO NOM-018-STPS-2000.

SARA TITLE III:

INGREDIENT	SECTION 302 (EHS) TPQ (LBS.)	SECTION 304 EHS RQ (LBS.)	CERCLA RQ (LBS.)	SECTION 313
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT	NOT LISTED.	NOT LISTED.	NOT LISTED.	NOT LISTED.
SOLVENT NAPHTHA (PETROLEUM), HEAVY AROMATIC	NOT LISTED.	NOT LISTED.	NOT LISTED.	NOT LISTED.
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC	NOT LISTED.	NOT LISTED.	NOT LISTED.	NOT LISTED.
CARBON DIOXIDE	NOT LISTED.	NOT LISTED.	NOT LISTED.	NOT LISTED.

NAPHTHALENE                      NOT LISTED.   NOT LISTED.       100                      313

DINONYLPHENOL,                      NOT LISTED.   NOT LISTED.       NOT LISTED.   NOT LISTED.  
ETHOXYLATED,  
PHOSPHATED

STATE REGULATIONS:

CALIFORNIA PROPOSITION 65:

THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE  
CANCER.

GLOBAL INVENTORIES:

INGREDIENT	USA TSCA
------------	----------

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT	YES.
---	------

SOLVENT NAPHTHA (PETROLEUM), HEAVY AROMATIC	YES.
---	------

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC	YES.
--	------

CARBON DIOXIDE YES.

NAPHTHALENE YES.

DINONYLPHENOL, ETHOXYLATED, PHOSPHATED YES.

NFPA-NATIONAL FIRE PROTECTION ASSOCIATION:

HEALTH 2

FIRE 4

REACTIVITY 0

HMIS-HAZARDOUS MATERIALS IDENTIFICATION SYSTEM:

HEALTH 2\*

FIRE 4

PHYSICAL HAZARD 0

HAZARD RATING:

0 = MINIMAL

1 = SLIGHT

2 = MODERATE

3 = SEVERE

4 = EXTREME

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

CP65: CALIFORNIA PROPOSITION 65

OSHA (O): OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION.

ACGIH (G): AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS.

A1 - CONFIRMED HUMAN CARCINOGEN.

A2 - SUSPECTED HUMAN CARCINOGEN.

A3 - ANIMAL CARCINOGEN.

A4 - NOT CLASSIFIABLE AS A HUMAN CARCINOGEN.

A5 - NOT SUSPECTED AS A HUMAN CARCINOGEN.

IARC (I): INTERNATIONAL AGENCY FOR RESEARCH ON CANCER.

1 - THE AGENT (MIXTURE) IS CARCINOGENIC TO HUMANS.

2A - THE AGENT (MIXTURE) IS PROBABLY CARCINOGENIC TO HUMANS; THERE IS LIMITED EVIDENCE OF CARCINOGENICITY IN HUMANS AND SUFFICIENT EVIDENCE OF CARCINOGENICITY IN EXPERIMENTAL ANIMALS.

2B - THE AGENT (MIXTURE) IS POSSIBLY CARCINOGENIC TO HUMANS; THERE IS LIMITED EVIDENCE OF CARCINOGENICITY IN HUMANS IN THE ABSENCE OF SUFFICIENT

EVIDENCE OF CARCINOGENICITY IN EXPERIMENTAL ANIMALS.

3 - THE AGENT (MIXTURE, EXPOSURE CIRCUMSTANCE) IS NOT CLASSIFIABLE AS TO ITS CARCINOGENICITY TO HUMANS.

4 - THE AGENT (MIXTURE, EXPOSURE CIRCUMSTANCE) IS PROBABLY NOT CARCINOGENIC TO HUMANS.

NTP (N): NATIONAL TOXICOLOGY PROGRAM.

1 - KNOWN TO BE CARCINOGENS.

2 - REASONABLY ANTICIPATED TO BE CARCINOGENS.

-----SECTION 16: OTHER INFORMATION -----

DATE OF PREPARATION: MAY 26, 2014

VERSION: 1.0

REVISION DATE: MAY 26, 2014

DISCLAIMER:

WE BELIEVE THE STATEMENTS, TECHNICAL INFORMATION AND RECOMMENDATIONS



CONTAINED HEREIN ARE RELIABLE, BUT THEY ARE GIVEN WITHOUT WARRANTY OR  
GUARANTEE OF ANY KIND. THE INFORMATION CONTAINED IN THIS DOCUMENT APPLIES  
TO THIS SPECIFIC MATERIAL AS SUPPLIED. IT MAY NOT BE VALID FOR THIS MATERIAL  
IF IT IS USED IN COMBINATION WITH ANY OTHER MATERIALS. IT IS THE USER'S  
RESPONSIBILITY TO SATISFY ONESELF AS TO THE SUITABILITY AND COMPLETENESS  
OF THIS INFORMATION FOR THE USER'S OWN PARTICULAR USE.

PREPARED BY: NEXREG COMPLIANCE INC.

PHONE: (519) 488-5126

[WWW.NEXREG.COM](http://WWW.NEXREG.COM)

PREPARED FOR: THE BLASTER CORPORATION

TRADE NAME: PB PENETRATING CATALYST (AEROSOL)

PRINT DATE: 2014-05-26

NEXREG